



Ⓐ あまりがでないわり算の虫食い問題



点

① $\square \div 6 = 1$

⑥ $\square \div 1 = 3$

② $\square \div 8 = 9$

⑦ $5 \div \square = 5$

③ $35 \div \square = 7$

⑧ $\square \div 9 = 6$

④ $\square \div 1 = 8$

⑨ $24 \div \square = 4$

⑤ $12 \div \square = 2$

⑩ $\square \div 9 = 3$



Ⓑ あまりがでないわり算の虫食い問題



点

① $36 \div \square = 9$

⑥ $\square \div 6 = 7$

② $36 \div \square = 4$

⑦ $\square \div 2 = 6$

③ $\square \div 2 = 8$

⑧ $14 \div \square = 2$

④ $45 \div \square = 5$

⑨ $45 \div \square = 9$

⑤ $\square \div 7 = 1$

⑩ $\square \div 6 = 3$



Ⓐ あまりがでないわり算の虫食い問題



点

① $\square \div 5 = 2$

⑥ $\square \div 8 = 1$

② $\square \div 7 = 5$

⑦ $\square \div 4 = 6$

③ $\square \div 5 = 8$

⑧ $12 \div \square = 4$

④ $\square \div 2 = 4$

⑨ $\square \div 4 = 2$

⑤ $\square \div 1 = 7$

⑩ $30 \div \square = 6$



Ⓑ あまりがでないわり算の虫食い問題



点

① $81 \div \square = 9$

⑥ $56 \div \square = 7$

② $15 \div \square = 3$

⑦ $\square \div 7 = 7$

③ $\square \div 9 = 1$

⑧ $\square \div 8 = 8$

④ $\square \div 3 = 8$

⑨ $2 \div \square = 2$

⑤ $15 \div \square = 5$

⑩ $12 \div \square = 3$



Ⓐ あまりがでないわり算の虫食い問題



点

① $20 \div \square = 4$

⑥ $\square \div 9 = 7$

② $20 \div \square = 5$

⑦ $\square \div 4 = 1$

③ $\square \div 3 = 1$

⑧ $\square \div 7 = 6$

④ $\square \div 8 = 6$

⑨ $\square \div 8 = 5$

⑤ $9 \div \square = 9$

⑩ $18 \div \square = 9$



Ⓑ あまりがでないわり算の虫食い問題



点

① $\square \div 2 = 3$

⑥ $30 \div \square = 5$

② $\square \div 2 = 2$

⑦ $\square \div 7 = 8$

③ $48 \div \square = 8$

⑧ $36 \div \square = 6$

④ $16 \div \square = 4$

⑨ $\square \div 3 = 7$

⑤ $5 \div \square = 1$

⑩ $32 \div \square = 4$



Ⓐ あまりがでないわり算の虫食い問題



① $\square \div 6 = 9$

⑥ $32 \div \square = 8$

② $\square \div 7 = 3$

⑦ $18 \div \square = 6$

③ $\square \div 9 = 2$

⑧ $\square \div 2 = 5$

④ $6 \div \square = 2$

⑨ $9 \div \square = 3$

⑤ $\square \div 7 = 4$

⑩ $1 \div \square = 1$



Ⓑ あまりがでないわり算の虫食い問題



① $28 \div \square = 7$

⑥ $\square \div 1 = 4$

② $\square \div 3 = 9$

⑦ $\square \div 7 = 9$

③ $6 \div \square = 6$

⑧ $\square \div 8 = 2$

④ $\square \div 2 = 7$

⑨ $\square \div 5 = 5$

⑤ $24 \div \square = 3$

⑩ $\square \div 9 = 8$



▣ あまりがでないわり算の虫食い問題



① $2 \div \square = 1$

⑥ $\square \div 5 = 1$

② $24 \div \square = 8$

⑦ $\square \div 5 = 3$

③ $\square \div 7 = 2$

⑧ $\square \div 9 = 4$

④ $12 \div \square = 6$

⑨ $\square \div 7 = 7$

⑤ $\square \div 3 = 5$

⑩ $9 \div \square = 9$



▣ あまりがでないわり算の虫食い問題



① $7 \div \square = 1$

⑥ $16 \div \square = 8$

② $\square \div 6 = 7$

⑦ $9 \div \square = 3$

③ $\square \div 4 = 6$

⑧ $\square \div 4 = 4$

④ $81 \div \square = 9$

⑨ $25 \div \square = 5$

⑤ $6 \div \square = 2$

⑩ $45 \div \square = 9$



㊣ あまりがでないわり算の虫食い問題



① $\square \div 1 = 5$

⑥ $\square \div 4 = 8$

② $32 \div \square = 4$

⑦ $\square \div 9 = 1$

③ $\square \div 5 = 2$

⑧ $\square \div 2 = 3$

④ $30 \div \square = 6$

⑨ $36 \div \square = 9$

⑤ $\square \div 5 = 7$

⑩ $\square \div 4 = 7$



㊣ あまりがでないわり算の虫食い問題



① $45 \div \square = 5$

⑥ $\square \div 6 = 4$

② $\square \div 2 = 1$

⑦ $\square \div 9 = 2$

③ $\square \div 1 = 8$

⑧ $20 \div \square = 4$

④ $\square \div 9 = 3$

⑨ $42 \div \square = 6$

⑤ $54 \div \square = 6$

⑩ $\square \div 9 = 8$



Ⓐ あまりがでないわり算の虫食い問題



点

① $8 \div \square = 2$

⑥ $20 \div \square = 5$

② $\square \div 6 = 9$

⑦ $4 \div \square = 1$

③ $7 \div \square = 7$

⑧ $\square \div 8 = 8$

④ $8 \div \square = 1$

⑨ $\square \div 6 = 3$

⑤ $12 \div \square = 3$

⑩ $\square \div 1 = 6$



Ⓑ あまりがでないわり算の虫食い問題



点

① $\square \div 6 = 5$

⑥ $\square \div 8 = 7$

② $\square \div 3 = 4$

⑦ $28 \div \square = 4$

③ $21 \div \square = 7$

⑧ $\square \div 1 = 3$

④ $\square \div 2 = 9$

⑨ $27 \div \square = 9$

⑤ $\square \div 1 = 2$

⑩ $\square \div 5 = 8$



Ⓐ あまりがでないわり算の虫食い問題



点

① $\square \div 6 = 2$

⑥ $16 \div \square = 2$

② $\square \div 3 = 6$

⑦ $72 \div \square = 9$

③ $\square \div 7 = 5$

⑧ $40 \div \square = 5$

④ $\square \div 1 = 1$

⑨ $4 \div \square = 4$

⑤ $\square \div 6 = 6$

⑩ $56 \div \square = 8$



Ⓑ あまりがでないわり算の虫食い問題



点

① $\square \div 6 = 1$

⑥ $21 \div \square = 3$

② $\square \div 9 = 7$

⑦ $4 \div \square = 2$

③ $\square \div 8 = 3$

⑧ $\square \div 3 = 1$

④ $\square \div 6 = 8$

⑨ $48 \div \square = 6$

⑤ $\square \div 2 = 5$

⑩ $\square \div 2 = 7$



㊣ あまりがでないわり算の虫食い問題



点

① $8 \div \square = 4$

⑥ $\square \div 8 = 3$

② $63 \div \square = 9$

⑦ $28 \div \square = 7$

③ $18 \div \square = 6$

⑧ $6 \div \square = 2$

④ $16 \div \square = 8$

⑨ $\square \div 4 = 9$

⑤ $\square \div 4 = 4$

⑩ $40 \div \square = 5$



㊣ あまりがでないわり算の虫食い問題



点

① $\square \div 8 = 1$

⑥ $\square \div 2 = 4$

② $\square \div 3 = 3$

⑦ $\square \div 1 = 2$

③ $\square \div 2 = 9$

⑧ $20 \div \square = 5$

④ $\square \div 3 = 7$

⑨ $\square \div 7 = 1$

⑤ $\square \div 5 = 8$

⑩ $\square \div 8 = 6$



Ⓐ あまりがでないわり算の虫食い問題



① $\square \div 7 = 9$

⑥ $35 \div \square = 5$

② $\square \div 6 = 3$

⑦ $18 \div \square = 2$

③ $\square \div 6 = 4$

⑧ $5 \div \square = 1$

④ $12 \div \square = 6$

⑨ $\square \div 5 = 7$

⑤ $48 \div \square = 8$

⑩ $\square \div 8 = 7$



Ⓑ あまりがでないわり算の虫食い問題



① $30 \div \square = 6$

⑥ $\square \div 3 = 8$

② $3 \div \square = 3$

⑦ $45 \div \square = 9$

③ $1 \div \square = 1$

⑧ $\square \div 9 = 4$

④ $\square \div 5 = 5$

⑨ $\square \div 6 = 2$

⑤ $\square \div 8 = 2$

⑩ $\square \div 1 = 8$



Ⓐ あまりがでないわり算の虫食い問題



点

① $6 \div \square = 6$

⑥ $\square \div 3 = 1$

② $72 \div \square = 9$

⑦ $\square \div 5 = 3$

③ $\square \div 8 = 4$

⑧ $54 \div \square = 9$

④ $49 \div \square = 7$

⑨ $\square \div 4 = 3$

⑤ $\square \div 3 = 5$

⑩ $\square \div 1 = 7$



Ⓑ あまりがでないわり算の虫食い問題



点

① $32 \div \square = 8$

⑥ $\square \div 2 = 1$

② $\square \div 4 = 2$

⑦ $4 \div \square = 4$

③ $\square \div 5 = 4$

⑧ $21 \div \square = 3$

④ $30 \div \square = 5$

⑨ $6 \div \square = 1$

⑤ $\square \div 4 = 6$

⑩ $45 \div \square = 5$



Ⓐ あまりがでないわり算の虫食い問題



点

① $72 \div \square = 8$

⑥ $28 \div \square = 4$

② $42 \div \square = 7$

⑦ $42 \div \square = 6$

③ $\square \div 5 = 2$

⑧ $\square \div 2 = 7$

④ $\square \div 9 = 6$

⑨ $5 \div \square = 5$

⑤ $\square \div 1 = 9$

⑩ $6 \div \square = 3$



Ⓑ あまりがでないわり算の虫食い問題



点

① $\square \div 7 = 8$

⑥ $12 \div \square = 4$

② $\square \div 2 = 2$

⑦ $\square \div 4 = 1$

③ $\square \div 9 = 9$

⑧ $10 \div \square = 5$

④ $9 \div \square = 1$

⑨ $\square \div 9 = 3$

⑤ $63 \div \square = 7$

⑩ $\square \div 6 = 6$



Ⓐ あまりがでないわり算の虫食い問題



点

① $\square \div 8 = 8$

⑥ $\square \div 1 = 7$

② $14 \div \square = 2$

⑦ $\square \div 2 = 2$

③ $\square \div 3 = 9$

⑧ $\square \div 2 = 9$

④ $\square \div 9 = 6$

⑨ $15 \div \square = 3$

⑤ $8 \div \square = 4$

⑩ $\square \div 8 = 8$



Ⓑ あまりがでないわり算の虫食い問題



点

① $\square \div 6 = 1$

⑥ $\square \div 8 = 3$

② $40 \div \square = 5$

⑦ $\square \div 3 = 1$

③ $\square \div 4 = 5$

⑧ $72 \div \square = 8$

④ $\square \div 4 = 6$

⑨ $81 \div \square = 9$

⑤ $\square \div 8 = 2$

⑩ $\square \div 8 = 7$



Ⓐ あまりがでないわり算の虫食い問題



点

① $28 \div \square = 4$

⑥ $\square \div 6 = 5$

② $\square \div 4 = 8$

⑦ $3 \div \square = 3$

③ $7 \div \square = 1$

⑧ $\square \div 1 = 4$

④ $\square \div 2 = 6$

⑨ $45 \div \square = 9$

⑤ $\square \div 4 = 7$

⑩ $\square \div 3 = 2$



Ⓑ あまりがでないわり算の虫食い問題



点

① $10 \div \square = 5$

⑥ $8 \div \square = 1$

② $\square \div 8 = 9$

⑦ $\square \div 7 = 2$

③ $21 \div \square = 7$

⑧ $48 \div \square = 6$

④ $\square \div 5 = 8$

⑨ $16 \div \square = 4$

⑤ $\square \div 4 = 3$

⑩ $\square \div 6 = 7$



㊣ あまりがでないわり算の虫食い問題



点

① $48 \div \square = 8$

⑥ $\square \div 5 = 4$

② $18 \div \square = 6$

⑦ $\square \div 5 = 1$

③ $27 \div \square = 9$

⑧ $21 \div \square = 3$

④ $45 \div \square = 5$

⑨ $\square \div 4 = 1$

⑤ $\square \div 1 = 2$

⑩ $\square \div 9 = 3$



㊣ あまりがでないわり算の虫食い問題



点

① $\square \div 6 = 4$

⑥ $\square \div 9 = 2$

② $\square \div 7 = 9$

⑦ $49 \div \square = 7$

③ $35 \div \square = 5$

⑧ $\square \div 1 = 5$

④ $\square \div 1 = 6$

⑨ $\square \div 6 = 6$

⑤ $24 \div \square = 8$

⑩ $6 \div \square = 3$



㊣ あまりがでないわり算の虫食い問題



① $\square \div 2 = 8$

⑥ $\square \div 1 = 9$

② $9 \div \square = 1$

⑦ $8 \div \square = 8$

③ $\square \div 3 = 4$

⑧ $54 \div \square = 9$

④ $14 \div \square = 7$

⑨ $35 \div \square = 7$

⑤ $8 \div \square = 2$

⑩ $2 \div \square = 1$



㊣ あまりがでないわり算の虫食い問題



① $\square \div 3 = 5$

⑥ $36 \div \square = 9$

② $42 \div \square = 6$

⑦ $56 \div \square = 8$

③ $\square \div 5 = 2$

⑧ $\square \div 5 = 6$

④ $18 \div \square = 3$

⑨ $36 \div \square = 4$

⑤ $\square \div 8 = 4$

⑩ $\square \div 9 = 7$



㊣ あまりがでないわり算の虫食い問題



点

① $9 \div \square = 3$

⑥ $27 \div \square = 9$

② $\square \div 6 = 2$

⑦ $48 \div \square = 8$

③ $\square \div 5 = 5$

⑧ $\square \div 3 = 2$

④ $1 \div \square = 1$

⑨ $5 \div \square = 1$

⑤ $48 \div \square = 6$

⑩ $18 \div \square = 3$



㊣ あまりがでないわり算の虫食い問題



点

① $\square \div 9 = 5$

⑥ $9 \div \square = 3$

② $63 \div \square = 7$

⑦ $\square \div 7 = 6$

③ $\square \div 8 = 4$

⑧ $24 \div \square = 8$

④ $\square \div 6 = 9$

⑨ $20 \div \square = 5$

⑤ $\square \div 6 = 4$

⑩ $10 \div \square = 2$



Ⓐ あまりがでないわり算の虫食い問題



点

① $\square \div 4 = 1$

⑥ $9 \div \square = 9$

② $\square \div 8 = 7$

⑦ $64 \div \square = 8$

③ $12 \div \square = 2$

⑧ $54 \div \square = 6$

④ $2 \div \square = 1$

⑨ $12 \div \square = 3$

⑤ $\square \div 1 = 5$

⑩ $8 \div \square = 4$



Ⓑ あまりがでないわり算の虫食い問題



点

① $\square \div 5 = 7$

⑥ $\square \div 6 = 6$

② $36 \div \square = 9$

⑦ $\square \div 9 = 4$

③ $24 \div \square = 3$

⑧ $\square \div 6 = 7$

④ $\square \div 2 = 8$

⑨ $\square \div 9 = 2$

⑤ $35 \div \square = 5$

⑩ $9 \div \square = 1$



㊣ あまりがでないわり算の虫食い問題



点

① $\square \div 5 = 8$

⑥ $\square \div 9 = 9$

② $21 \div \square = 7$

⑦ $\square \div 2 = 6$

③ $2 \div \square = 2$

⑧ $28 \div \square = 4$

④ $\square \div 8 = 1$

⑨ $10 \div \square = 5$

⑤ $27 \div \square = 3$

⑩ $28 \div \square = 7$



㊣ あまりがでないわり算の虫食い問題



点

① $25 \div \square = 5$

⑥ $\square \div 1 = 3$

② $16 \div \square = 2$

⑦ $\square \div 1 = 6$

③ $\square \div 7 = 9$

⑧ $16 \div \square = 4$

④ $1 \div \square = 1$

⑨ $8 \div \square = 2$

⑤ $\square \div 9 = 8$

⑩ $49 \div \square = 7$



Ⓐ あまりがでないわり算の虫食い問題



点

① $6 \div \square = 3$

⑥ $32 \div \square = 8$

② $18 \div \square = 9$

⑦ $4 \div \square = 4$

③ $18 \div \square = 6$

⑧ $\square \div 8 = 9$

④ $3 \div \square = 1$

⑨ $\square \div 6 = 5$

⑤ $\square \div 3 = 5$

⑩ $\square \div 2 = 2$



Ⓑ あまりがでないわり算の虫食い問題



点

① $\square \div 5 = 3$

⑥ $\square \div 1 = 7$

② $\square \div 1 = 8$

⑦ $14 \div \square = 2$

③ $30 \div \square = 6$

⑧ $\square \div 3 = 4$

④ $\square \div 5 = 4$

⑨ $45 \div \square = 9$

⑤ $6 \div \square = 1$

⑩ $\square \div 7 = 8$